

CONTROL LOGIX 1756 SYSTEM

рекомендованная розничная Цена ДДП Москва, НЕ включая НДС

Bill Of Material Effective September 1, 2006 Valid till September 1, 2008

| Catalogue Number | Description | Q-ty | Price Euro |
|---------------------------------|----------------------------------------------------|------|------------|
| Processors | | | |
| 1756-L55 | LOGIX 5555 PROCESSOR WITH NO USER MEMORY | 1 | 2 960,10 |
| 1756-L55M12 | LOGIX 5555 PROCESSOR WITH 750KBYTE MEMORY | 1 | 4 385,70 |
| 1756-L55M13 | LOGIX 5555 PROCESSOR WITH 1.5MBYTE MEMORY | 1 | 4 736,60 |
| 1756-L55M14 | LOGIX 5555 PROCESSOR WITH 3.5MBYTE MEMORY | 1 | 6 842,00 |
| 1756-L55M16 | LOGIX 5555 PROCESSOR WITH 7.5MBYTE MEMORY | 1 | 9 473,20 |
| 1756-L55M22 | LOGIX 5555 PROCESSOR WITH 750KBYTE NV MEMORY | 1 | 4 736,60 |
| 1756-L55M23 | LOGIX 5555 PROCESSOR WITH 1.5MBYTE NV MEMORY | 1 | 5 328,40 |
| 1756-L55M24 | LOGIX 5555 PROCESSOR WITH 3.5MBYTE NV MEMORY | 1 | 7 132,40 |
| 1756-L60M03SE | LOGIX5560M03SE WITH SERCOS 3-AXIS 750KBYTES MEMORY | 1 | 4 402,20 |
| 1756-L61 | LOGIX5561 PROCESSOR WITH 2MBYTE MEMORY | 1 | 4 305,40 |
| 1756-L62 | LOGIX5562 PROCESSOR WITH 4MBYTE MEMORY | 1 | 6 219,40 |
| 1756-L63 | LOGIX 5563 PROCESSOR WITH 8MBYTE MEMORY | 1 | 8 611,90 |
| Memory | | | |
| 1756-M12 | LOGIX 5555 750KBYTE MEMORY MODULE | 1 | 1 205,60 |
| 1756-M13 | LOGIX 5555 1.5MBYTE MEMORY MODULE | 1 | 1 776,50 |
| 1756-M14 | LOGIX 5555 3.5MBYTE MEMORY MODULE | 1 | 3 716,90 |
| 1756-M16 | LOGIX 5555 7.5MBYTE MEMORY MODULE | 1 | 6 195,20 |
| 1756-M22 | LOGIX 5555 750 KBYTE NONVOLATILE MEMORY MODULE | 1 | 1 776,50 |
| 1756-M23 | LOGIX 5555 1.5MBYTE NONVOLATILE MEMORY | 1 | 2 368,30 |
| 1756-M24 | LOGIX 5555 3.5MBYTE NONVOLATILE MEMORY | 1 | 4 144,80 |
| I/O Scanners | | | |
| 1756-DNB | DEVICENET BRIDGE/SCANNER MODULE | 1 | 887,70 |
| I/O Chassis Hardware | | | |
| 1756-A10 | 10 SLOT CONTROLLOGIX CHASSIS | 1 | 457,60 |
| 1756-A13 | 13 SLOT CONTROLLOGIX CHASSIS | 1 | 552,20 |
| 1756-A17 | 17 SLOT CONTROLLOGIX CHASSIS | 1 | 650,10 |
| 1756-A4 | 4 SLOT CONTROLLOGIX CHASSIS | 1 | 245,30 |
| 1756-A7 | 7 SLOT CONTROLLOGIX CHASSIS | 1 | 372,90 |
| 1756 Digital I/O Modules | | | |
| 1756-IA16 | 79-132 VAC INPUT 16 PTS (20 PIN) | 1 | 344,30 |
| 1756-IA16I | 79-132 VAC ISOLATED INPUT 16 PTS (36 PIN) | 1 | 433,40 |
| 1756-IA32 | 74-132 VAC INPUT 32 PTS (36P) | 1 | 645,70 |
| 1756-IA8D | 79-132 VAC DIAGNOSTIC INPUT 8 PTS (20 PIN) | 1 | 452,10 |
| 1756-IB16 | 10-31 VDC INPUT 16 PTS (20 PIN) | 1 | 264,00 |
| 1756-IB16D | 10-30 VDC DIAGNOSTIC INPUT 16 PTS (36 PIN) | 1 | 457,60 |
| 1756-IB16I | 10-30 VDC ISOLATED INPUT 16 PTS (36 PIN) | 1 | 381,70 |
| 1756-IB16ISOE | 24/48VDC ISO SEQUENCE OF EVENT INPUT 16PT (36 PIN) | 1 | 635,80 |
| 1756-IB32 | 10-31 VDC INPUT 32 PTS (36 PIN) | 1 | 353,10 |
| 1756-IC16 | 30-60 VDC INPUT 16 PTS (20 PIN) | 1 | 424,60 |
| 1756-IG16 | 0-5 VDC TTL INPUT (LOW TRUE) 16 PTS (20 PIN) | 1 | 305,80 |
| 1756-IH16I | 90-146 VDC ISOLATED INPUT 16 PTS (36 PIN) | 1 | 504,90 |
| 1756-IH16ISOE | 125 VDC ISOL SEQUENCE OF EVENT INPUT 16PT (36 PIN) | 1 | 635,80 |
| 1756-IM16I | 159-265 VAC ISOLATED INPUT 16 PTS (36 PIN) | 1 | 447,70 |
| 1756-IN16 | 10-30 VAC INPUT 16 PTS (20 PIN) | 1 | 424,60 |
| 1756-IV16 | 10-30 VDC SOURCING INPUT 16 PTS (20 PIN) | 1 | 264,00 |
| 1756-IV32 | 10-30 V DC SOURCING INPUT 32 PTS (36 PIN) | 1 | 353,10 |
| 1756-OA16 | 74-265 VAC OUTPUT 16 PTS (20 PIN) | 1 | 489,50 |
| 1756-OA16I | 74-265 VAC ISOLATED OUTPUT 16 PTS (36 PIN) | 1 | 612,70 |
| 1756-OA8 | 74-265 VAC 2 AMP OUTPUT 8 PTS (20 PIN) | 1 | 433,40 |
| 1756-OA8D | 74-132 VAC DIAGNOSTIC OUTPUT 8 PTS (20 PIN) | 1 | 918,50 |
| 1756-OA8E | 74-132 VAC ELEC FUSED 2A OUTPUT 8 PTS (20 PIN) | 1 | 810,70 |
| 1756-OB16D | 19-30 VDC DIAGNOSTIC OUTPUT 16 PTS (36 PIN) | 1 | 612,70 |
| 1756-OB16E | 10-31 VDC ELEC FUSED OUTPUT 16 PTS (20 PIN) | 1 | 424,60 |
| 1756-OB16I | 10-30 VDC ISOLATED OUTPUT 16 PTS (36 PIN) | 1 | 500,50 |
| 1756-OB16IS | 10-30VDC OUTPUT CAM 16 PTS (36 PIN) | 1 | 635,80 |

ООО «НПП Промышленная Автоматизация»

109147 Москва, ул. Ср. Первомайская, дом 34, оф. 3

Тел: (495) 603-83-94 Факс:(495) 540-97-08 www.indautomation.ru

CONTROL LOGIX 1756 SYSTEM

рекомендованная розничная Цена ДДП Москва, НЕ включая НДС

Bill Of Material Effective September 1, 2006 Valid till September 1, 2008

| Catalogue Number | Description | Q-ty | Price Euro |
|-----------------------------------------|-------------------------------------------------------------------------------|------|------------|
| 1756-OB32 | 10-31 VDC OUTPUT 32 PTS (36 PIN) | 1 | 508,20 |
| 1756-OB8 | 10-30 VDC 2 AMP OUTPUT 8 PTS (20 PIN) | 1 | 339,90 |
| 1756-OB8EI | 10-30 VDC ISOLATED ELEC FUSED OUTPUT 8 PTS (36 PIN) | 1 | 447,70 |
| 1756-OC8 | 30-60 VDC 2 AMP OUTPUT 8 PTS (20 PIN) | 1 | 396,00 |
| 1756-OH8I | 90-146 VDC ISOLATED 2 AMP OUTPUT 8 PTS (36 PIN) | 1 | 519,20 |
| 1756-ON8 | 10-30 VAC 2 AMP OUTPUT 8 PTS (20 PIN) | 1 | 500,50 |
| 1756-OV16E | 10-30 VDC ELEC FUSED SINKING OUTPUT 16 PT (20 PIN) | 1 | 424,60 |
| 1756-OV32E | 10-30 VDC ELEC FUSED SINKING OUTPUT 32 PT (36 PIN) | 1 | 532,40 |
| 1756-OW16I | N.O. ISOLATED RELAY OUTPUT 16 PTS (36 PIN) | 1 | 471,90 |
| 1756-OX8I | N.O./N.C. ISOLATED RELAY OUTPUT 8 PTS (36 PIN) | 1 | 334,40 |
| 1756 Analog I/O Modules | | | |
| 1756-IF16 | ANALOGUE INPUT - CURRENT/VOLTAGE 16 PTS (36 PIN) | 1 | 1 178,10 |
| 1756-IF4FXOF2F | FAST ANALOGUE 4 CUR-VOLT IN/2 CUR-VOLT OUT (36 PIN) | 1 | 1 744,60 |
| 1756-IF6CIS | ISOLATED ANALOGUE INPUT - CURRENT SOURCING 6 PTS (20 PIN) | 1 | 1 790,80 |
| 1756-IF6I | ISOLATED ANALOGUE INPUT-CURRENT/VOLTAGE 6 PTS(20PIN) | 1 | 1 555,40 |
| 1756-IF8 | ANALOGUE INPUT - CURRENT/VOLTAGE 8 PTS (36 PIN) | 1 | 800,80 |
| 1756-IR6I | ISOLATED RTD INPUT 6 PTS (20 PIN) | 1 | 1 614,80 |
| 1756-IT6I | ISOLATED THERMOCOUPLE/MV INPUT 6 PTS (20 PIN) | 1 | 1 966,80 |
| 1756-IT6I2 | ENHANCED ISOL THERMOCOUPLE/MV INPUT 6PTS (20 PIN) | 1 | 1 614,80 |
| 1756-OF4 | ANALOGUE OUTPUT - CURRENT/VOLTAGE 4 PTS (20 PIN) | 1 | 905,30 |
| 1756-OF6CI | ISOLATED ANALOGUE OUTPUT - CURRENT 6 PTS (20 PIN) | 1 | 1 898,60 |
| 1756-OF6VI | ISOLATED ANALOGUE OUTPUT - VOLTAGE 6 PTS (20 PIN) | 1 | 1 898,60 |
| 1756-OF8 | ANALOGUE OUTPUT - CURRENT/VOLTAGE 8 PTS (20 PIN) | 1 | 1 507,00 |
| 1756-OG16 | 0-5 VDC TTL OUTPUT (LOW TRUE) 16 PTS (20 PIN) | 1 | 344,30 |
| 1756SC-IF8H | 8 CHANNEL ANALOGUE INPUT MODULE WITH HART PROTOCOL FOR CONTROLLOGIX (36 PIN) | 1 | 1 059,30 |
| 1756SC-IF8U | 8 CHANNEL UNIVERSAL ANALOGUE INPUT MODULE FOR CONTROLLOGIX (36 PIN) | 1 | 1 265,00 |
| 1756SC-OF8H | 8 CHANNEL ANALOGUE OUTPUT MODULE WITH HART PROTOCOL FOR CONTROLLOGIX (20 PIN) | 1 | 1 765,50 |
| I/O Modules | | | |
| 1756-CFM | 2 CHANNEL/2 OUT CONFIGURABLE FLOWMETER (20PIN) | 1 | 1 318,90 |
| 1756-HSC | HIGH SPEED COUNTER | 1 | 871,20 |
| 1756-HYD02 | 2 CHANNEL HYDRAULICS MODULE | 1 | 2 775,30 |
| 1756-PLS | PROGRAMMABLE LIMIT SWITCH MODULE (3-20 PIN) | 1 | 2 921,60 |
| 1756 ControlLogix Motion Modules | | | |
| 1756-M02AE | SERVO MOTION MODULE, 2 AXIS , ANALOGUE OUTPUT AND QUADRATURE ENCODER INPUT | 1 | 2 007,50 |
| 1756-M02AS | 1756 2 AXIS ANALOG/SSI SERVO MODULE | 1 | 2 775,30 |
| 1756-M03SE | 1756 3 AXIS SERCOS INTERFACE SERVO MODULE | 1 | 961,40 |
| 1756-M08SE | 8 AXIS SERCOS SERVO MODULE | 1 | 2 007,50 |
| 1756-M16SE | 16 AXIS SERCOS SERVO MODULE | 1 | 2 968,90 |
| Redundancy | | | |
| 1757-SRC10 | 1757 REDUNDANCY MODULE CABLE - 10 METRE, 32.81 FT | 1 | 221,10 |
| 1757-SRC3 | 1757 REDUNDANCY MODULE CABLE - 3 METRE, 9.84 FT | 1 | 174,90 |
| 1757-SRC1 | 1757 REDUNDANCY MODULE CABLE - 1 METRE, 3.28FT | 1 | 132,00 |
| 1757-SRM | SYSTEM REDUNDANCY MODULE | 1 | 4 098,60 |
| I/O Connection Hardware | | | |
| 1756-TBCH | 36 PIN SCREW CLAMP BLOCK WITH STANDARD HOUSING | 1 | 56,10 |
| 1756-TBE | EXTENDED DEPTH TERMINAL BLOCK HOUSING | 1 | 19,80 |
| 1756-TBNH | 20 POSITION NEMA SCREW CLAMP BLOCK WITH STANDARD HOUSING | 1 | 41,80 |
| 1756-TBS6H | 36 PIN SPRING CLAMP BLOCK WITH STANDARD HOUSING | 1 | 56,10 |
| 1756-TBSH | 20 PIN SPRING CLAMP BLOCK WITH STANDARD HOUSING | 1 | 41,80 |
| ControlNet Network Interfaces | | | |
| 1756-CNB | CONTROLNET BRIDGE MODULE | 1 | 1 106,60 |
| 1756-CNBR | CONTROLNET REDUNDANT BRIDGE MODULE | 1 | 1 540,00 |
| EtherNet/IP Network Interfaces | | | |
| 1756-ENBT | CLX ETHERNET/IP 10/100 BRIDGE MODULE - TWISTED PR | 1 | 1 483,90 |
| 1756-EWEB | CLX ENET/IP ENHANCED WEB SERVER MODULE | 1 | 2 074,60 |

ООО «НПП Промышленная Автоматизация»

109147 Москва, ул. Ср. Первомайская, дом 34, оф. 3

Тел: (495) 603-83-94 Факс:(495) 540-97-08 www.indautomation.ru

CONTROL LOGIX 1756 SYSTEM

рекомендованная розничная Цена ДДП Москва, НЕ включая НДС

Bill Of Material Effective September 1, 2006 Valid till September 1, 2008

| Catalogue Number | Description | Q-ty | Price Euro |
|---------------------------------|----------------------------------------------------------------|------|------------|
| 1756-TC02 | 1756 ETHERNET INTERFACE TRANSCEIVER CABLE 2 METRE | 1 | |
| 1756-TC15 | 1756 ETHERNET INTERFACE TRANSCEIVER CABLE 15 METRE | 1 | 151,80 |
| Communication Interfaces | | | |
| 1756-DHRIO | DH+/RIO BRIDGE/SCANNER MODULE 2 CHANNEL DH+ AND/OR RIO SCANNER | 1 | 1 324,40 |
| Power Supplies | | | |
| 1756-CPR2 | REDUNDANT POWER SUPPLY CABLE | 1 | 70,40 |
| 1756-PA72 | CONTROLLOGIX 120/240 VAC POWER SUPPLY | 1 | 678,70 |
| 1756-PA75 | 85 - 265 VAC POWER SUPPLY (5V @ 13A) | 1 | 848,10 |
| 1756-PA75R | 85-265V AC REDUNDANT POWER SUPPLY | 1 | 895,40 |
| 1756-PAR2 | 85-265VAC REDUNDANT POWER SUPPLY ASSEMBLY | 1 | 2 073,50 |
| 1756-PB72 | CONTROLLOGIX 24 VDC POWER SUPPLY | 1 | 678,70 |
| 1756-PB75 | 19.2 - 32VDC POWER SUPPLY (5V @ 13A) | 1 | 848,10 |
| 1756-PB75R | 19-32V DC REDUNDANT POWER SUPPLY | 1 | 895,40 |
| 1756-PBR2 | 19-32VDC REDUNDANT POWER SUPPLY ASSEMBLY | 1 | 2 073,50 |
| 1756-PC75 | 30-60VDC POWER SUPPLY (5V @ 13A) | 1 | 848,10 |
| 1756-PH75 | 90-143VDC POWER SUPPLY (5V @ 13A) | 1 | 848,10 |
| 1756-PSCA2 | REDUNDANT POWER SUPPLY CHASSIS ADAPTER MODULE | 1 | 141,90 |
| SynchLink | | | |
| 1751-SL4SP | SYNCHLINK FIBRE 4-PORT SPLITTER BLOCK | 1 | 409,20 |
| 1751-SLBA | SYNCHLINK FIBRE BASE BLOCK | 1 | 775,50 |
| 1751-SLBP | SYNCHLINK FIBRE BYPASS SWITCH BLOCK | 1 | 864,60 |
| 1756-SYNCH | CONTROLLOGIX SYNCHLINK MODULE | 1 | 1 640,10 |
| Accessories | | | |
| 1756-BA1 | LOGIX5000 BATTERY ASSEMBLY | 1 | 49,50 |
| 1756-BA2 | LOGIX5000 BATTERY ASSEMBLY-1756-L6X SERIES B ONLY | 1 | 59,40 |
| 1756-BATA | REPLACEMENT BATTERY ASSEMBLY FOR 1756-BATM | 1 | 72,60 |
| 1756-BATM | CONTROLLOGIX BATTERY MODULE | 1 | 218,90 |
| 1756-N2 | EMPTY SLOT FILLER CARD (2 FILLERS PER PACKAGE) | 1 | 17,60 |
| Programming Devices | | | |
| 1756-CP3 | LOGIX5000 RS-232 PROGRAMMER CABLE | 1 | 60,50 |
| Manuals | | | |
| 1756-DPALEN | CONTROLLOGIX SYSTEM DOCUMENTATION SET PRINTED | 1 | 283,80 |
| D1756-6.5.1 | CONTROLLOGIX ETHERNET COMM.INTFC MODULE USER MANUAL | 1 | 30,80 |
| D1756-6.5.13 | CONTROLLOGIX GATEWAY SYSTEM USER MANUAL | 1 | 31,90 |
| D1756-6.5.14 | USER MANUAL - 1756-DHRIO DH+/RIO INTERFACE MODULE | 1 | 31,90 |
| D1756-6.5.7 | USER MANUAL CONTROLLOGIX GATEWAY | 1 | 31,90 |
| D1756-6.5.9 | CONTROLLOGIX ANALOGUE I/O MODULES USER MANUAL | 1 | 31,90 |
| PM001GENP | LOGIX5000 CONTROLLERS COMMON PROCEDURES | 1 | 31,90 |
| QS001BENP | LOGIX5000 CONTROLLERS QUICK START | 1 | 31,90 |
| RM001CENP | USING CONTROLLOGIX IN SIL2 APPLICATIONS REF MANUAL | 1 | 31,90 |
| UM002AUSP | CONTROLLOGIX PROGRAMMABLE LIMIT SWITCH MODULE UM | 1 | 31,90 |
| UM058CENP | CONTROLLOGIX DIGITAL I/O MODULES USER MANUAL | 1 | 31,90 |
| UM528AENP | CONTROLLOGIX SEQ OF EVENTS MODULE INSTALL INSTRUCT | 1 | 31,90 |
| Starter Kit | | | |
| 1756-STRT3 | CONTROLLOGIX STARTER KIT | 1 | |
| 1756-STRT4 | CONTROLLOGIX STARTER KIT - L61 BASED | 1 | 7 520,70 |

На складе в Москве, как правило, есть оборудование, каталожный номер которого выделен синим цветом
Все цены в Евро (€)

ООО «НПП Промышленная Автоматизация»

109147 Москва, ул. Ср. Первомайская, дом 34, оф. 3

Тел: (495) 603-83-94 Факс:(495) 540-97-08 www.indautomation.ru